

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claims 1-5. Cancelled.

6 (**Currently Amended**). A therapeutic vaccine against tuberculosis comprising one or more polypeptides or fragments thereof and a pharmaceutically acceptable carrier, vehicle or adjuvant, which polypeptides are upregulated or expressed during the latent stage of the mycobacteria infection.

7 (Previously Presented). A therapeutic vaccine according to claim 6 where the polypeptides upregulated or expressed during the latent stage of the mycobacteria infection, which stage is characterized by low-oxygen tension in the microenvironment of the mycobacteria, comprises one or more amino acid sequences selected from

(a) SEQ ID NO 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44 and 45

(b) an immunogenic portion, e.g. a T-cell epitope, of any one of the sequences in (a); and /or

(c) an amino acid sequence analogue having at least 70% sequence identity to any one of the sequences in (a) or (b) and at the same time being immunogenic.

8 (Original). A therapeutic vaccine according to claim 7, where the immunogenic portions are selected from the group consisting of SEQ ID NO 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44 and 45.

9 (**Currently Amended**). A therapeutic vaccine against tuberculosis comprising one or more polypeptides or fragments thereof, which polypeptides are upregulated or expressed during the latent stage of the mycobacteria infection ~~according to claim 6~~, wherein at least one of the one or more polypeptides or fragments thereof, is fused to at least one fusion partner which is an antigen expressed by bacteria within the mycobacteria family.

10 (Previously Presented). A therapeutic vaccine according to claim 9 where the fusion partner is selected from the group consisting of ESAT-6, ESAT-6-Ag85B, TB10.4, CFP10, RD1-ORF5, RD1-ORF2, Rv1036, MPB64, MPT64, Ag85A, Ag85B (MPT59), MPB59, Ag85C, 19kDa lipoprotein, MPT32.

Claim 11. Cancelled.

12 (**Currently Amended**). A multiphase vaccine comprising antigen components with therapeutic activity ~~according to claim 6~~ against tuberculosis comprising one or more polypeptides or fragments thereof, which polypeptides are upregulated or expressed during the latent stage of the mycobacteria infection, combined with antigen components with prophylactic activity.

13 (Previously Presented). A multiphase vaccine according to claim 12 where the antigen components with prophylactic activity are selected from the group consisting of ESAT-6, ESAT-6-Ag85B, TB10.4, CFP10, RD1-ORF5, RD1-ORF2, Rv1036, MPB64, MPT64, Ag85A, Ag85B (MPT59), MPB59, Ag85C, 19kDa lipoprotein or MPT32.

Claims 14 and 15. Cancelled.

16 (**Currently Amended**). A therapeutic vaccine against tuberculosis comprising one or more polypeptides or fragments thereof and a pharmaceutically acceptable carrier, vehicle or adjuvant, which polypeptides are upregulated or expressed during the latent stage of the mycobacteria infection ~~according to claim 6~~, where the polypeptides or fragments are recombinant or synthetic and are delivered in a delivery system such as an adjuvant.

17 (**Currently Amended**). A therapeutic vaccine against tuberculosis comprising one or more polypeptides or fragments thereof and a pharmaceutically acceptable carrier, vehicle or adjuvant, which polypeptides are upregulated or expressed during the latent stage of the mycobacteria infection ~~according to claim 6~~, in which the polypeptide or fragment is lipidated so as to allow a self-adjuvanting effect of the polypeptide.

Claims 18 - 22. Cancelled.